



Low frequency EI type lead transformer without clamping frame




DR ITEM NO	A(mm)	B(mm)	C(mm)	Power(w)
DR-DB2812	28/2	30	25	0.8w-1w
DR-DB2818	28	31/5	25	1.2w-1.5w
DR-DB3514	35	31	29/5	1.2w-1.5w
DR-DB3516	35	34	29/5	1.5w-2w
DR-DB4110	41	28/5	33	1.1w-1.4w
DR-DB4114	41	32	33	2w-3w
DR-DB4114	41	32	35	2w-3w
DR-DB4116	41	35	33	3w-4w
DR-DB4118	41	37	33	4w-4.5w
DR-DB4120	41	39	33	4.5w-6w
DR-DB4124	41	38/5	33	5w-7w
DR-DB4126	41	43	33	7w-8w
DR-DB4807	48	17	40	1w-1.2w
DR-DB4810	48	21/5	40	1.5w-2w
DR-DB4818	48	39	40	5w-6w
DR-DB4820	48	40	40	6w-7w
DR-DB4824	48	45	40	10w-12w
DR-DB4830	48	49/5	40	12w-15w

Low frequency EI in-line transformer



DR ITEM NO	Bobbin(mm)	A×B×C(mm) Overall Dimension	Pin Distance(mm)	Array Distance(mm)	Power(W)
DR-EF2006	20*6	23.7*22.3*15	5	15	0/35
DR-EF2006	20*6	23.7*22.3*15	5	15	0/45
DR-EF2010	20*10	23.7*22.3*20	5	15	0/5
DR-EF2010	20*10	23.7*22.3*20	5	15	0/6
DR-EI3005	30*5	32.8*27.8*15.2	5	20	0/5
DR-EI3005	30*5	32.8*27.8*15.2	5	20	0/6
DR-EI3011	30*10.5	32.8*27.8*21.8	5	20	1/2
DR-EI3011	30*10.5	32.8*27.8*21.8	5	20	1/5
DR-EI3011	30*10.5	32.8*27.8*21.8	5	20	1/8
DR-EI3013	30*12.5	32.8*27.8*24	5	20	1/5
DR-EI3013	30*12.5	32.8*27.8*24	5	20	1/8
DR-EI3016	30*15.5	32.8*27.8*26.9	5	20	2/0
DR-EI3016	30*15.5	32.8*27.8*26.9	5	20	2/4
DR-EI3018	30*18	32.8*27.8*29.5	5	20	2/3
DR-EI3018	30*18	32.8*27.8*29.5	5	20	2/8
DR-EI3023	30*23	32.8*27.8*34.8	5	20	2/8
DR-EI3023	30*23	32.8*27.8*34.8	5	20	3/2
DR-EI3814	38*13.6	41*34.8*27.8	5	25	3/5
DR-EI3814	38*13.6	41*34.8*27.8	5	25	4/5





DR ITEM NO	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	PIN CIRCUIT	Power(w)
DR-DB4011XX	40/2	40/2	20/7	31	5+6+6+5	5+5	1w-1.2w
DR-DB4013XX	40/2	40/2	23/5	31	5+6+6+5	5+5	1w-1.2w
DR-DB4108XX	41	33	18	26	8+13	2+3	1w-1.2w
DR-DB4116XX	41	33	35/5	23	7.5/7.7/7.4	3+4	3w-3.5w
DR-DB4116XX	41	33	33	30	6.5/8.5	4+4	3w-3.5w
DR-DB4118XX	41	33	40	23	7.5/5+6+6+5	4+4	3w-4w
DR-DB4121XX	41	33	41/5	22	7/5+7+7+5	4+5	4.5w-6w
DR-DB4815XX	48	40	31	30	7/5	4+5	4w-4.5w
DR-DB4818XX	48	40	36/5	30	7/3	4+5	5w-6w
DR-DB4822XX	48	40	41/5	30/5	7/5	4+5	8w-10w
DR-DB1930XX	19	39	15	34	6/4	3+4Vertical	1.5w-2w
DR-DB2815XX	28	26/5	25	23	7/5	2+3Vertical	0.8w-1.2w
DR-DB2816XX	28	28	25	22	6	3+3Vertical	1w-1.5w
DR-DB2819XX	28	31/5	25	29	5	3+3Vertical	1.2w-2w

